

## Selected Brain Fitness References: Asenath La Rue, PhD

- American Heart Association. Diet and lifestyle recommendations revision 2006: a scientific statement from the American Heart Association Nutrition Committee. *Circulation* 2006;114:82-96. <http://circ.ahajournals.org/cgi/content/full/114/82>
- Ball K, Berch DB, Heimers KF, et al. Effects of cognitive training interventions with older adults: a randomized controlled trial. *JAMA* 2002; 288: 2271-2281.**
- Barnes D. Computer-based cognitive training for mild cognitive impairment: results from a pilot randomized controlled trial. Paper presented at a meeting of the American Academy of Neurology, San Diego, CA, April 2006. Abstract available at [www.positscience.com](http://www.positscience.com).
- Belleville S, Gilbert B, Fontaine F, et al. Improvement of episodic memory in persons with mild cognitive impairment and healthy older adults: evidence from a cognitive intervention program. *Dementia and Geriatric Cognitive Disorders* 2006; 22:486-499.**
- Camp CC, Bird MJ, & Cherry KE. (2000). Retrieval strategies as a rehabilitation aid for cognitive loss in pathological aging. In R. D. Hill, L. Backman, & A. S. Neely (Eds.), *Cognitive rehabilitation in old age* (pp. 224-248). New York: Oxford University Press.
- Clare L, Woods RT. (Eds.). (2001). *Cognitive rehabilitation in dementia*. Hove: Psychology Press.
- Clare L, Wilson BA, Carter G, et al. Relearning face-name associations in early Alzheimer's disease. *Neuropsychology* 2002;16:538-547.
- Farias ST, Mungas D, Reed BR, et al. MCI is associated with deficits in everyday functioning. *Alzheimer Disease and Associated Disorders* 2006;20:217-233.
- Fratiglioni L, Paillard-Borg S, Winblad B. An active and socially integrated lifestyle in late life might protect against dementia. *Lancet Neurology* 2004;3:242-253.**
- Gauthier S, Reisberg B, Zaudig M, et al.: Mild cognitive impairment. [www.thelancet.com](http://www.thelancet.com), vol 367, April 15, 2006.
- Gunther VK, Schafer P, Holzner J, et al. Long-term improvements in cognitive performance through computer-assisted training: a pilot study in a residential home for older people. *Aging and Mental Health* 2003; 7: 200-206.
- Hultsch DF, Hertzog C, Small BJ, et al. Use it or lose it: engaged lifestyle as a buffer of cognitive decline in aging. *Psychology and Aging* 1999;14:245-263.
- Kramer AF, Colcombe SJ, McAuley, et al. Fitness, aging and neurocognitive function. *Neurobiology of Aging* 2005;268:S124-127
- Larson EB, Want L, Bowen JD, et al. Exercise is associated with reduced risk for incident dementia among persons 65 year of age and older. *Annals of Internal Medicine* 2006;144:73-81.

- Lawton MP, Brody EM. Assessment of older people: Self maintaining and instrumental activities of daily living. *Gerontologist* 1969;9:176-186.
- Mahncke HW, Connor BB, Appelman J, et al. Memory enhancement in healthy older adults using a brain plasticity-based training program: a randomized, controlled study. *Proceedings of the National Academy of Sciences*. Published online Aug 3, 2006. [www.pnas.org/cgi/doi/10.1073/pnas.0605194103](http://www.pnas.org/cgi/doi/10.1073/pnas.0605194103). Abstract available at [www.positscience.com](http://www.positscience.com).
- Morris MC. Diet and Alzheimer's disease: what the evidence shows. *Medscape General Medicine* 2004;6:e8. <http://www.medscape.com/viewarticle/466037>.
- Morris MC, Evans DA, Tangney CC, et al. Associations of vegetable and fruit consumption with age-related cognitive change. *Neurology* 2006;67:1370-1376.
- National Institute on Aging. Exercise: a guide from the National Institute on Aging. Bethesda MD: National Institute on Aging, 2006. <http://www.nih.gov/nia>.
- Neely, A. S. (2000). Multifactorial memory training in normal aging: In search of memory improvement beyond the ordinary. In R. D. Hill, L. Backman, & A. S. Neely (Eds.), *Cognitive rehabilitation in old age* (pp. 63-80). New York: Oxford University Press.
- Olazarán J, Muñiz R, Reisberg B, et al. Benefits of cognitive-motor intervention in MCI and mild to moderate Alzheimer disease. *Neurology* 2004;63:2348-2353.**
- Petersen RC. Mild cognitive impairment as a diagnostic entity. *Journal of Internal Medicine* 2004;256:183-194.
- Rapp S, Brenes G, Marsh AP. Memory enhancement training for older adults with mild cognitive impairment. *Aging and Mental Health* 2002;6:5-11.
- Scarmeas N, Stern Y, Tang M-X, et al. Mediterranean diet and risk for Alzheimer's disease. *Ann Neurol* 2006;58:912-921.
- Small BW, Silverman DHS, Siddarth P, et al. Effects of a 14-day healthy longevity lifestyle program on cognition and brain function. *American Journal of Geriatric Psychiatry* 2006; 14: 538-545.
- Smith G, Kennison RF, Ruff RM, Yaffe K, Zelinski EM. Improvement in memory with plasticity-based adaptive cognitive training. Presented at the International Neuropsychological Society meetings, Honolulu, February 2008. Abstract available at [www.positscience.com](http://www.positscience.com).**
- Unverzagt FW, Kasten L, Johnson KE, et al. Effect of memory impairment on training outcomes in ACTIVE. *Journal of the International Neuropsychological Society* 2007; 13:953-960.
- Vergheze J, Lipton RB, Katz MJ, et al. Leisure activities and the risk of dementia in the elderly. *New England Journal of Medicine* 2003;348:2508-2516.
- Verhaeghen, P., Marcoen, A., & Goossens, L. (1992). Improving memory performance in the aged through mnemonic training: A meta-analytic study. *Psychology and Aging*, 7, 242-251.

- Wellman N, Weddle D, Sanchez, NK, et al. Eat Better & Move More: A Guidebook for Community Programs. Miami, FL: National Resource Center on Nutrition, Physical Activity & Aging, Florida International University, 2004.  
<http://www.aoa.gov/youcan/EBMM/ebmm.asp>
- Weuve J, Kang JH, Manson JE, et al. Physical activity, including walking, and cognitive function in older women. JAMA 2004;292:1454-1461.
- Willis SL, Tennstedt SL, Marsiske M, et al. Long-term effects of cognitive training on everyday functional outcomes in older adults. JAMA 2006; 296: 2805-14.**
- Wilson RS, Bennett DA, Bienias JL, et al. Cognitive activity and incident AD in a population-based sample of older persons. Neurology 2002;59:1910-1914.
- Winblad B, Palmer K, Kivipelto M, et al. Mild cognitive impairment: beyond controversies, towards a consensus – report of the International Working Group on Mild Cognitive Impairment. J Intern Med 2004; 256: 240-246
- Yesavage JA, Brink TL, Rose TL, et al: Development and validation of a geriatric depression screening scale: a preliminary report. J Psychiatr Res 1982;12:37-49.
- Zelinski EM, Gilewski MJ. A 10-item Rasch modeled memory self-efficacy scale. Aging and Mental Health 2004;8:293-306.